



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Re Patent application of:

Applicant(s): William E. Luce

Examiner: Melanie Torres

Serial No: 10/671,425

Art Unit: 3683

Filed: September 25, 2003

Docket No. GRLGP0318USA
(formerly BFGRP0318USA)

Title: AIRCRAFT SHOCK STRUT HAVING A FLUID LEVEL MONITOR

**REINSTATEMENT OF APPEAL FROM THE PRIMARY EXAMINER
TO THE BOARD OF PATENT APPEALS AND INTERFERENCES**

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Applicant hereby appeals to the Board of Patent Appeals and Interferences from the decision dated January 13, 2006 of the Primary Examiner twice rejecting claims 2-22.

The fee for filing a notice of appeal was previously paid and therefore it is believed that no further fee is due. In the event any additional fee is due, the Commissioner is authorized to charge any additional fee which may be required to Deposit Account No. 18-0988 under Docket No. GRLGP0318USA.

Respectfully submitted,

Don W. Bulson, Registration No. 28,192
RENNER, OTTO, BOISSELLE & SKLAR, LLP
1621 Euclid Ave. - 19th Floor
Cleveland, Ohio 44115
(216) 621-1113

CERTIFICATE OF MAILING UNDER 37 C.F.R. 1.8

I hereby certify that this correspondence (along with any paper referenced as being attached or enclosed) is being deposited on the below date with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to the MS AF, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Date: 5-9-06

Jennifer A. Moore